

CONTENTS

- Allen, D. C. A new species of *Dirophanes* (Hymenoptera: Ichneumonidae) parasitic on *Choristoneura pinus* in northern Michigan, 893.
- Allen, R. K. New species of New World Leptohyphinae (Ephemeroptera: Tricorythidae), 350.
- Allen, W. R. An assay for determining insecticide tolerance of onion maggot larvae, 402.
- Anderson, N. H. Biology and downstream drift of some Oregon Trichoptera, 507.
- Angle, B. J. See Morgan, C. V. G., 971, 975.
- Arnold, J. W., and Salkeld, E. H. Morphology of the haemocytes of the giant cockroach, *Blaberus giganteus*, with histochemical tests, 1138.
- Arnott, D. A. and Bergis, I. Causal agents of silver top and other types of damage to grass seed crops, 660.
- Arthur, A. P. Influence of position and size of host shelter on host-searching by *Itopectis conquisitor* (Hymenoptera: Ichneumonidae), 877.
- Atkins, M. D. The effect of rearing temperature on the size and fat content of the Douglas-fir beetle, 181.
- Atkinson, J. M. See Loschiavo, S. R., 1160.
- Ayre, G. L. The relationships between food and digestive enzymes in five species of ants (Hymenoptera: Formicidae), 408.
- Barker, P. S. See Sellen, R. A., 109.
- Beanlands, G. E. The effects of bark moisture on *Polygraphus rufipennis* (Coleoptera: Scolytidae) adults and their developing broods, 561.
- Becker, G. C., and Benjamin, D. M. The biology of *Neodiprion nigroscutum* (Hymenoptera: Diprionidae) in Wisconsin, 146.
- Belton, P., and French, D. E. A specimen of *Aedes thibaulti* collected near Belleville, Ontario, 1336.
- Belton, P., and Pucat, A. A comparison of different lights in traps for *Culicoides* (Diptera: Ceratopogonidae), 267.
- Benjamin, D. M. See Becker, G. C., 146.
- Bennett, C. W. See Morris, R. F., 9.
- Bergis, I. See Arnott, D. A., 660.
- Berryman, A. A. Mathematical description of the sterile male principle, 858.
- Estimation of *Dendroctonus brevicornis* (Coleoptera: Scolytidae) mortality caused by insect predators, 1009.
- Bhaskaran, G. See Nair, K. K., 597.
- Borden, J. H. Factors influencing the response of *Ips confusus* (Coleoptera: Scolytidae) to male attractant, 1164.
- See also Cameron, E. A., 236.
- Borgmeier, T., O.F.M. A new genus and species of phorid fly from Canada (Diptera: Phoridae), 221.
- Bright, D. E., Jr. Catalogue of the Swaine types of Scolytidae (Coleoptera) with designations of lectotypes, 673.
- Lectotype designations for *Cryphalus annabitis* and *C. grandis* (Coleoptera: Scolytidae), 681.
- A review of the genus *Cactopinus*, with descriptions of two new species and a new genus (Coleoptera: Scolytidae), 917.
- Brown, A. W. A. See Grant, C. D., 1040.
- Brown, W. J. Notes on the extralimital distribution of some species of Coleoptera, 85.
- The Mexican forms of *Coccinella* (Coleoptera: Coccinellidae), 107.
- Brust, R. A. Weight and development time of different stadia of mosquitoes reared at various constant temperatures, 986.
- See also Hanec, W., 59.
- Butcher, J. W. See Carlson, R. B., 529.
- Cameron, E. A. Notes on *Sirex juvencus californicus* (Hymenoptera: Siricidae), with a description of the male and a key to the California species of *Sirex*, 18.
- Cameron, E. A., and Borden, J. H. Emergence patterns of *Ips confusus* (Coleoptera: Scolytidae) from ponderosa pine, 236.
- Campbell, I. M. On coniferophagous species of *Choristoneura* (Lepidoptera: Tortricidae) in North America. IV. Sexual isolation between three species, 482.
- Carlson, R. B., and Butcher, J. W. Biology and behavior of Zimmerman pine moth, *Dioryctria zimmermani*, in Michigan, 529.

CONTENTS

- Allen, D. C. A new species of *Dirophanes* (Hymenoptera: Ichneumonidae) parasitic on *Choristoneura pinus* in northern Michigan, 893.
- Allen, R. K. New species of New World Leptohyphinae (Ephemeroptera: Tricorythidae), 350.
- Allen, W. R. An assay for determining insecticide tolerance of onion maggot larvae, 402.
- Anderson, N. H. Biology and downstream drift of some Oregon Trichoptera, 507.
- Angle, B. J. See Morgan, C. V. G., 971, 975.
- Arnold, J. W., and Salkeld, E. H. Morphology of the haemocytes of the giant cockroach, *Blaberus giganteus*, with histochemical tests, 1138.
- Arnott, D. A. and Bergis, I. Causal agents of silver top and other types of damage to grass seed crops, 660.
- Arthur, A. P. Influence of position and size of host shelter on host-searching by *Itopectis conquisitor* (Hymenoptera: Ichneumonidae), 877.
- Atkins, M. D. The effect of rearing temperature on the size and fat content of the Douglas-fir beetle, 181.
- Atkinson, J. M. See Loschiavo, S. R., 1160.
- Ayre, G. L. The relationships between food and digestive enzymes in five species of ants (Hymenoptera: Formicidae), 408.
- Barker, P. S. See Sellen, R. A., 109.
- Beanlands, G. E. The effects of bark moisture on *Polygraphus rufipennis* (Coleoptera: Scolytidae) adults and their developing broods, 561.
- Becker, G. C., and Benjamin, D. M. The biology of *Neodiprion nigroscutum* (Hymenoptera: Diprionidae) in Wisconsin, 146.
- Belton, P., and French, D. E. A specimen of *Aedes thibaulti* collected near Belleville, Ontario, 1336.
- Belton, P., and Pucat, A. A comparison of different lights in traps for *Culicoides* (Diptera: Ceratopogonidae), 267.
- Benjamin, D. M. See Becker, G. C., 146.
- Bennett, C. W. See Morris, R. F., 9.
- Bergis, I. See Arnott, D. A., 660.
- Berryman, A. A. Mathematical description of the sterile male principle, 858.
- Estimation of *Dendroctonus brevicornis* (Coleoptera: Scolytidae) mortality caused by insect predators, 1009.
- Bhaskaran, G. See Nair, K. K., 597.
- Borden, J. H. Factors influencing the response of *Ips confusus* (Coleoptera: Scolytidae) to male attractant, 1164.
- See also Cameron, E. A., 236.
- Borgmeier, T., O.F.M. A new genus and species of phorid fly from Canada (Diptera: Phoridae), 221.
- Bright, D. E., Jr. Catalogue of the Swaine types of Scolytidae (Coleoptera) with designations of lectotypes, 673.
- Lectotype designations for *Cryphalus annabilis* and *C. grandis* (Coleoptera: Scolytidae), 681.
- A review of the genus *Cactopinus*, with descriptions of two new species and a new genus (Coleoptera: Scolytidae), 917.
- Brown, A. W. A. See Grant, C. D., 1040.
- Brown, W. J. Notes on the extralimital distribution of some species of Coleoptera, 85.
- The Mexican forms of *Coccinella* (Coleoptera: Coccinellidae), 107.
- Brust, R. A. Weight and development time of different stadia of mosquitoes reared at various constant temperatures, 986.
- See also Hanec, W., 59.
- Butcher, J. W. See Carlson, R. B., 529.
- Cameron, E. A. Notes on *Sirex juvencus californicus* (Hymenoptera: Siricidae), with a description of the male and a key to the California species of *Sirex*, 18.
- Cameron, E. A., and Borden, J. H. Emergence patterns of *Ips confusus* (Coleoptera: Scolytidae) from ponderosa pine, 236.
- Campbell, I. M. On coniferophagous species of *Choristoneura* (Lepidoptera: Tortricidae) in North America. IV. Sexual isolation between three species, 482.
- Carlson, R. B., and Butcher, J. W. Biology and behavior of Zimmerman pine moth, *Dioryctria zimmermani*, in Michigan, 529.

- Cerezke, H. F. A method for rearing the root weevil, *Hylobius warreni* (Coleoptera: Curculionidae), 1087.
- Chabora, P. C. Hereditary behavior variation in oviposition patterns in the parasite *Nasonia vitripennis* (Hymenoptera: Pteromalidae), 763.
- Chachoria, H. S. Mortality in apple mealybug, *Phenacoccus aceris* (Homoptera: Coccidae), populations in Nova Scotia, 728.
- Chadwick, L. E. See Storch, R. H., 113.
- Chapman, J. A. Response behaviour of scolytid beetles and odour meteorology, 1132.
- Church, N. S. The egg-laying behavior of 11 species of Lyttinae (Coleoptera: Meloidae), 752.
- Condrashoff, S. F. An extraction method for rapid counts of insect eggs and small organisms, 300.
- Coppel, H. C. See Harris, J. W. E., 411.
- Crowell, R. M. The immature instars of *Albia caerulea* (Acarina: Axonopsidae), a water mite parasitizing caddisflies (Trichoptera), 730.
- Crozier, R. G., and Giese, R. L. The Columbian timber beetle, *Corthylus columbianus* (Coleoptera: Scolytidae). IV. Intrastand population distribution, 1203.
- Cumming, J. E., and Wright, R. H. Convection currents that guide mosquitoes, 556.
- Dahlsten, D. L. See Luck, R. F., 1193.
- Dalgleish, R. C. Two new species of *Penenirmus* (Mallophaga: Ischnocera) from Asian barbets (Piciformes: Capitonidae), 604.
- Daykin, P. N. Orientation of *Aedes aegypti* in vertical air currents, 303.
- DeBoo, R. F., and Weidhaas, J. A., Jr. Phenological notes on a non-migrating population of *Pineus floccus* (Homoptera: Chermidae), 765.
- Downing, R. S., and Moilliet, T. K. Relative densities of predacious and phytophagous mites on three varieties of apple trees, 738.
- Driscoll, G. R. See McLeod, D. G. R., 890.
- Dustan, G. G. Range of the oriental fruit moth, *Grapholitha molesta*, in apples and peaches in Ontario, 587.
- Elliott, K. R., and Muldrew, J. A. A knockdown metal cage for rearing larch sawfly larvae, 321.
- Evans, D. The bisexual and agamic generations of *Besbicus mirabilis* (Hymenoptera: Cynipidae), and their associate insects, 187.
- Finlayson, T. A classification of the subfamily Pimplinae (Hymenoptera: Ichneumonidae) based on final-instar larval characteristics, 1.
- Taxonomy of final-instar larvae of the hymenopterous and dipterous parasites of *Acrobasis* spp. (Lepidoptera: Phycitidae) in the Ottawa region, 1233.
- See also Mackauer, M., 1051.
- Finnegan, R. J. Notes on the biology of the pitted ambrosia beetle, *Corthylus punctatissimus* (Coleoptera: Scolytidae), in Ontario and Quebec, 49.
- Fisher, R. W. Diel periodicity in sensitivity of *Tetranychus urticae* (Acarina: Tetranychidae) to dicofol, 281.
- Foott, W. H. Occurrence of *Frumenta mundinella* (Lepidoptera: Gelechiidae) in Canada, 443.
- Freeman, T. N. Annotated keys to some Nearctic leaf-mining Lepidoptera on conifers, 419.
- On coniferophagous species of *Choristoneura* (Lepidoptera: Tortricidae) in North America. I. Some new forms of *Choristoneura* allied to *C. fumiferana*, 449.
- Freeman, T. N., and Stehr, G. W. On coniferophagous species of *Choristoneura* (Lepidoptera: Tortricidae) in North America. VI. A summary of the preceding five papers, 504.
- French, D. E. See Belton, P., 1336.
- George, J. A. Effects of gamma radiation on fertility, mating, and longevity of males of the Oriental fruit moth, *Grapholitha molesta* (Lepidoptera: Tortricidae), 850.
- Gerber, G. H. A possible mechanism for the regulation of the female reproductive cycle in *Tenebrio molitor* (Coleoptera: Tenebrionidae), 1298.
- Giese, R. L. The Columbian timber beetle, *Corthylus columbianus* (Coleoptera: Scolytidae). V. A description of the Mycetangia, 54.
- See also MacLean, D. B., 285; Crozier, R. G., 1203.
- Gitins, A. R. See Markin, G. P., 871.
- Graham, A. R. See House, H. L., 994, 1082.
- Grant, C. D., and Brown, A. W. A. Development of DDT resistance in certain mayflies in New Brunswick, 1040.
- Grimble, D. G. A new nearctic species of *Barylypa* (Hymenoptera: Ichneumonidae), 1332.

- Cuppy, J. C. Insect parasites of the armyworm, *Pseudaletia unipuncta* (Lepidoptera: Noctuidae), with notes on species observed in Ontario, 94.
- Hamilton, K. G. A. A new species of *Draeculacephala* (Homoptera: Cicadellidae) from Manitoba, 767.
- Hance, W., and Brust, R. A. The effect of temperature on the immature stages of *Culiseta inornata* (Diptera: Culicidae) in the laboratory, 59.
- Harris, P. Suitability of *Anaitis plagiata* (Geometridae) for biocontrol of *Hypericum perforatum* in dry grassland of British Columbia, 1304.
- Harris, J. W. E., and Coppel, H. C. The poplar-and-willow borer, *Sternochetus* (= *Cryptorhynchus*) *lapathi* (Coleoptera: Curculionidae), in British Columbia, 411.
- Harvey, G. T. On coniferophagous species of *Choristoneura* (Lepidoptera: Tortricidae) in North America. V. Second diapause as a species character, 486.
- Harvey, T. G., and Stehr, G. On coniferophagous species of *Choristoneura* (Lepidoptera: Tortricidae) in North America. III. Some characters of immature forms helpful in the identification of species, 464.
- Hedlin, A. F. The pine seedworm *Laspeyresia piperana* (Lepidoptera: Olethreutidae) in cones of ponderosa pine, 264.
- Herbert, H. J. See Sanford, K. H., 689.
- Heron, R. J. Heat tolerance of last-instar larvae of the larch sawfly, *Pristiphora erichsonii* (Hymenoptera: Tenthredinidae), 1150.
- Hobbs, G. A. Obtaining and protecting red-clover pollinating species of *Bombus* (Hymenoptera: Apidae), 943.
- Ecology of species of *Bombus* (Hymenoptera: Apidae) in southern Alberta. VI. Subgenus *Pyrobombus*, 1271.
- House, H. L. The nutritional status and larvicidal activities of C6- to C14-saturated fatty acids in *Pseudosarcophaga affinis* (Diptera: Sarcophagidae), 384.
- The role of nutritional factors in food selection and preference as related to larval nutrition of an insect, *Pseudosarcophaga affinis* (Diptera, Sarcophagidae), on synthetic diets, 1310.
- House, H. L., and Graham, A. R. Capric acid blended into foodstuff for control of an insect pest, *Tribolium confusum* (Coleoptera: Tenebrionidae), 994.
- Nutritional pest control: The "self-protection" of foodstuffs against *Tribolium confusum* (Coleoptera: Tenebrionidae) often presumably through nutritional factors, 1082.
- Howden, H. F. Mexican Geotrupini: A new species of *Geotrupes* and description of the larva of *Ceratotrupes* (Coleoptera: Scarabaeidae), 1003.
- Ives, W. G. H. Relations between invertebrate predators and prey associated with larch sawfly eggs and larvae on tamarack, 607.
- Determination of premature larval drop and other causes of larch sawfly mortality, 1121.
- Jacques, R. P. The persistence of a nuclear polyhedrosis virus in the habitat of the host insect, *Trichoplusia ni*. I. Polyhedra deposited on foliage, 785. II. Polyhedra in soil, 820.
- The persistence of a nuclear polyhedrosis virus in the habitat of its host, *Trichoplusia ni*. II. Polyhedra in soil, 820.
- Jay, S. C. Shipping honey bee queens in package bees with and without attendants, 323.
- See also Nelson, E. V., 712.
- Jong, C. See McMullen, R. D., 1292.
- Kelton, L. A. Synopsis of the genus *Lyctocoris* in North America and description of a new species from Quebec (Heteroptera: Anthrenidae), 807.
- Kobylnyk, R. W. Candling and sighting techniques used in laser investigations of the European pine sawfly, *Neodiprion sertifer* (Hymenoptera: Diprionidae), 670.
- Lanier, G. N. *Ips plastographus* (Coleoptera: Scolytidae) tunnelling in sapwood of lodgepole pine in California, 1334.
- Legner, E. F. The status of *Nasonia vitripennis* as a natural parasite of the house fly, *Musca domestica*, 308.
- Leius, K. Influence of wild flowers on parasitism of tent caterpillar and codling moth, 444.
- Food sources and preferences of adults of a parasite, *Scambus buolianae* (Hym.: Ichn.), and their consequences, 865.
- Leonard, D. E. Silking behavior of the gypsy moth, *Portbetria dispar*, 1145.
- Lindquist, O. H., and Macleod, L. S. A biological study of *Epinotia solandriana* (Lepidoptera: Olethreutidae), a leaf roller on birch in Ontario, 1110.
- Loschiavo, S. R., and Atkinson, J. M. A trap for the detection and recovery of insects in stored grain, 1160.

- Luck, R. F., and Dahlsten, D. L.** Douglas-fir tussock moth (*Hemerocampa pseudotsugata*) egg-mass distribution on white fir in northeastern California, 1193.
- Mackauer, M., and Finlayson, T.** The hymenopterous parasites (Hymenoptera: Aphidiidae et Aphelinidae) of the pea aphid in eastern North America, 1051.
- MacLean, D. B., and Giese, R. L.** The life history of the ambrosia beetle *Xyloterinus politus* (Coleoptera: Scolytidae), 285.
- Macleod, L. S.** See Lindquist, O. H., 1110.
- MacPhee, A. W.** The winter moth, *Operophtera brumata* (Lepidoptera: Geometridae), a new pest attacking apple orchards in Nova Scotia, and its coldhardiness, 829.
- Maelzer, D. A.** See Wellington, W. G., 249.
- Markin, G. P., and Gittins, A. R.** Descriptions of the immature stages of *Stenodynerus claremontensis* (Hymenoptera: Vespidae), 871.
- Marshall, H. G. W.** The effect of woodpecker predation on wood-boring larvae of families Siricidae (Hymenoptera) and Melandryidae (Coleoptera), 978.
- Martin, J. E. H.** See Ross, H. H., 703.
- Martin, W. K.** See McKinlay, K. S., 748.
- Mason, W. R. M.** Specialization in the egg structure of *Exenterus* (Hymenoptera: Ichneumonidae) in relation to distribution and abundance, 375.
- McAlpine, J. F.** A detailed study of Ironomyiidae (Diptera: Phoroidea), 225.
The identity of *Leucopis anulipes* (Diptera: Chamaemyiidae), 599.
See also Ross, H. H., 703.
- McGuffin, W. C.** *Holarctias* (Lepidoptera: Geometridae), 716.
Immature stages of some Lepidoptera of Durango, Mexico, 1215.
- McKinlay, K. S., and Martin, W. K.** Effects of temperature and piperonyl butoxide on the toxicity of six carbamates to the grasshopper *Melanoplus sanguinipes* (= *M. bilituratus*), 748.
- McLeod, D. G. R., and Driscoll, G. R.** Diapause in the cabbage maggot, *Hylenya brassicae* (Diptera: Anthomyiidae), 890.
- McMullen, R. D.** A field study of diapause in *Coccinella novemnotata* (Coleoptera: Coccinellidae), 42.
The effects of photoperiod, temperature, and food supply on rate of development and diapause in *Coccinella novemnotata*, 578.
- McMullen, R. D., and Jong, C.** The influence of three insecticides on predation of the pear psylla, *Psylla pyricola*, 1292.
- Miller, C. D. F.** See Sadava, D., 436.
- Miller, W. E.** Taxonomic review of the *Rhyacionia frustrana* group of pine-tip moths, with description of a new species (Olethreutidae), 590.
- Milliron, H. E.** A successful method for hibernating *Megabombus f. feridus*, and notes on a related species (Hymenoptera: Apidae; Bombinae), 1321.
- Moilliet, T. K.** See Downing, R. S., 738.
- Monteith, L. G.** Responses by *Diprion bercyniae* (Hymenoptera: Diprionidae) to its food plant and their influence on its relationship with its parasite *Drino bohémica* (Diptera: Tachinidae), 682.
- Morgan, C. V. G.** Fate of the San José scale and the European fruit scale (Homoptera: Diaspididae) on apples and prunes held in standard cold storage and controlled atmosphere storage, 650.
- Morgan, C. V. G., and Angle, B. J.** Mortality of the San José scale (Homoptera: Diaspididae) on stored apples of different varieties and harvest dates, 971.
Influence of pre-storage treatments on the mortality of the San José scale (Homoptera: Diaspididae) on apples held in storage, 975.
- Morris, R. F.** Influence of parental food quality on the survival of *Hyphantria cunea*, 24.
Factors inducing diapause in *Hyphantria cunea*, 522.
- Morris, R. F., and Bennett, C. W.** Seasonal population trends and extensive census methods for *Hyphantria cunea*, 9.
- Muldrew, J. A.** Biology and initial dispersal of *Olesicampe* (*Holocremmus*) sp. nr. *nematorum* (Hymenoptera: Ichneumonidae), a parasite of the larch sawfly recently established in Manitoba, 312.
See also Elliott, K. R., 321.

- Munroe, E.** Four new species of *Udea* from South America (Lepidoptera: Pyralidae), 392.
 A new species of *Tbliptoceras* from Thailand, with notes on generic and specific synonymy and placement and with designations of lectotypes (Lepidoptera: Pyralidae), 721.
 A new genus and a new species of Pyraustinae (Lepidoptera: Pyralidae), 1104.
Parapilocrocis citribasalis: A new genus and species of Pyraustinae (Lepidoptera: Pyralidae), 1156.
- Myers, C. M.** Identification and descriptions of *Aedes* eggs from California and Nevada (Diptera: Culicidae), 795.
- Nair, K. K., Bhaskaran, G., and Sivasubramanian, P.** Effect on adult emergence of whole and partial X-irradiation of pupae of the housefly, *Musca domestica* *nebulosa*, 597.
- Neilson, W. T. A.** Development and mortality of the apple maggot, *Rhagoletis pomonella*, in crab apples, 217.
- Nelson, E. V., and Jay, S. C.** The influence of hive position and orientation cues on the drifting of honey-bees (*Apis mellifera*) in a flight and rearing room, 712.
- Parent, B.** Population studies of phytophagous mites and predators on apple in southwestern Quebec, 771.
- Parsons, C. T.** North American Nitidulidae (Coleoptera). IV. *Epuraea* associated with fungi of pine and oak, 734.
- Pechuman, L. L.** A new *Pelecorhynchus* from Chile (Diptera: Tabanoidea: Pelecorhynchidae), 554.
- Pechuman, L. L., and Teskey, H. J.** A new eastern Nearctic *Chrysops* (Diptera: Tabanidae), 645.
- Peterson, B. V.** A new species of *Gaurax* (Diptera: Chloropidae) from Quebec and Ontario, 641.
- Pilley, P. G., and Trieselmann, R. A.** A note on the occurrence of *Coleophora frischella* (Lepidoptera: Coleophoridae) in North America, 1229.
- Price, R. D.** The *Colpocephalum* (Mallophaga: Menoponidae) of the Pelecaniformes, 273.
- Pucut, A.** See Belton, P., 267.
- Putman, W. L.** Prevalence of spiders and their importance as predators in Ontario peach orchards, 160.
 Life histories and habits of two species of *Philodromus* (Araneida: Thomisidae) in Ontario, 622.
- Quednau, F. W.** Notes on mating behavior and oviposition of *Chrysobaris laricinellae* (Hymenoptera: Eulophidae), a parasite of the larch casebearer (*Coleophora laricella*), 326.
 Notes on mating, oviposition, adult longevity, and incubation period of eggs of the larch casebearer, *Coleophora laricella* (Lepidoptera: Coleophoridae), in the laboratory, 397.
 Ecological observations on *Chrysobaris laricinellae* (Hymenoptera: Eulophidae), a parasite of the larch casebearer (*Coleophora laricella*), 631.
- Rai, K. S.** See Sharma, V. P., 1116.
- Randall, A. P.** A spray nozzle composed of three concentric tubes, 34.
- Richards, W. R.** A revision of *Tamalia*, with descriptions of two new species from Mexico (Homoptera: Aphididae), 65.
 A review of the *Tinocallis* of the world (Homoptera: Aphididae), 536.
 A new species of *Aulacorthum* from British Columbia (Homoptera: Aphididae), 760.
 The *Pterocomma* of Canada and Greenland with notes on the phyletic position of the Pterocommatini (Homoptera: Aphididae), 1015.
 A new species of *Macrosiphum* from British Columbia (Homoptera: Aphididae), 1090.
- Richardson, H. P., and Westdal, P. H.** Disposable cage and pot for virus transmission studies with leafhoppers, 769.
- Riegert, P. W.** Some observations on the biology and behaviour of *Cammula pellucida* (Orthoptera: Acrididae), 952.
 Association of subzero temperatures, snow cover, and winter mortality of grasshopper eggs in Saskatchewan, 1000.
- Rivard, I.** *Opius lectus* and *O. alloeus* (Hymenoptera: Braconidae), larval parasites of the apple maggot, *Rhagoletis pomonella* (Diptera: Trypetidae), in Quebec, 895.
- Robinson, A. G.** A new genus, *Misturaphis*, and a new species of *Cryptaphis* from Manitoba (Homoptera: Aphididae), with a note on *Pseudasiphonaphis anogis*, 565.
- Ross, H. H., Rotramel, G. L., Martin, J. E. H., and McAlpine, J. F.** Postglacial colonization of Canada by its subboreal winter stoneflies of the genus *Allocapnia*, 703.
- Rotramel, G. L.** See Ross, H. H., 703.

- Rudinsky, J. A. See Stoszek, K. J., 310; Zethner-Møller, O., 897.
- Rudinsky, J. A., and Zethner-Møller, O. Olfactory responses of *Hylastes nigrinus* (Coleoptera: Scolytidae) to various host materials, 911.
- Sadava, D., and Miller, C. D. F. Taxonomy of last-instar larval remains of parasites reared from *Spilonota ocellana*, 436.
- Salkeld, E. H. See Arnold, J. W., 1138.
- Sanford, K. H. The influence of spray programs on the fauna of apple orchards in Nova Scotia. XVII. Effects on some predacious mites, 197.
- Sanford, K. H., and Herbert, H. J. The influence of spray programs on the fauna of apple orchards in Nova Scotia. XVIII. Predator and prey populations in relation to miticides, 689.
- Sattler, K. The Nearctic *obscurusella* group of the genus *Chionodes* (Lepidoptera: Gelechiidae), 75.
- Schaefer, C. H., and Wallace, D. R. Evaluation of larval hemolymph amino acids as a taxonomic character for *Neodiprion* sawflies (Hymenoptera: Diprionidae), 574.
- Sellen, R. A., and Barker, P. S. A technique for the collection of *Tyrophagus putrescentiae* eggs of uniform age, 109.
- Sharma, V. P., and Rai, K. S. Sperm depletion in chemosterilized and normal males of the yellow fever mosquito, *Aedes aegypti*, 1116.
- Shewell, G. E. Two records of Agromyzidae from Chile and Easter Island (Diptera), 332.
- Sivasubramanian, P. See Nair, K. K., 597.
- Smirnov, W. A. A method for detecting viral infection in populations of *Neodiprion swainei* by examination of pupae and adults, 214.
- Influence of temperature on the development of a virus disease of *Neodiprion swainei* (Hymenoptera: Tenthredinidae), 244.
- Smith, G. G. See Yule, W. N., 219.
- Stehr, G. On coniferophagous species of *Choristoneura* (Lepidoptera: Tortricidae) in North America. II. Geographic distribution in accordance with forest regions, 456.
- See also Harvey, G. T., 464; Freeman, T. N., 504.
- Stevenson, A. B. *Leucopis simplex* (Diptera: Chamaemyiidae) and other species occurring in *Leucopis simplex* (Diptera: Chamaemyiidae) and other species occurring in galls of *Phylloxera vitifoliae* (Homoptera: Phylloxeridae) in Ontario, 815.
- Stevenson, R. E. Notes on the biology of the Engelmann spruce weevil, *Pissodes engelmanni* (Curculionidae: Coleoptera) and its parasites and predators, 201.
- Steward, C. C. Distribution of cholinesterase in the larvae of *Hypoderma bovis* and *Hypoderma lineatum* (Diptera: Oestridae) and its inhibition by systemic insecticides, 340.
- Stillwell, M. A. The pigeon tremex, *Tremex columba* (Hymenoptera: Siricidae), in New Brunswick, 685.
- Storch, R. H., and Chadwick, L. E. The embryonal and nymphal cervicothoracic musculature of the American cockroach, *Periplaneta americana* (Blattaria: Blattellidae), 113.
- Stoszek, K. J., and Rudinsky, J. A. Injury of Douglas-fir trees by maturation feeding of the Douglas-fir hylesinus, *Pseudohylesinus nebulosus* (Coleoptera: Scolytidae), 310.
- Sullivan, C. R., and Wallace, D. R. Interaction of temperature and photoperiod in the induction of prolonged diapause in *Neodiprion sertifer*, 834.
- Teskey, H. J. See Pechuman, L. L., 645.
- Trieselmann, R. A. See Pilley, P. G., 1229.
- Underwood, G. R. Parasites of the red-pine sawfly, *Neodiprion namulus namulus* (Hymenoptera: Diprionidae), in New Brunswick, 1114.
- Varty, I. W. Leafhoppers of the subfamily Typhlocybinae from birches, 170.
- Erythroneura* leafhoppers from birches in New Brunswick. II. Subgenus *Eratoneura* (Homoptera: Cicadellidae), 570.
- Vickery, V. R. Lectotype designation for *Callimorpha confusa* (Lepidoptera: Arctiidae), 1092.
- Wallace, D. R. See Schaefer, C. H., 574; Sullivan, C. R., 834.
- Walley, G. S. Nearctic species of the *Diadegma stenosomus* complex (Hymenoptera: Ichneumonidae), 925.
- Waterhouse, J. S. Population studies of the garden symphytan, *Scutigerella immaculata* (Symphyla: Scutigerellidae), 696.
- Weidhaas, J. A., Jr. See DeBoo, R. F., 765.
- Wellington, W. G., and Maelzer, D. A. Effects of farnesyl methyl ether on the reproduction of the western tent caterpillar, *Malacosoma plumbea*: Some physiological, ecological, and practical implications, 249.
- Westdal, P. H. See Richardson, H. P., 769.

- Wong, H. R. The nematine genera *Eitelius* and *Micronematus* in North America (Hymenoptera: Tenthredinidae), 1101.
- Wright, R. H. See Cumming, J. E., 556.
- Wylie, H. G. Some effects of host size on *Nasonia vitripennis* and *Muscidifurax raptor* (Hymenoptera: Pteromalidae), 742.
- Young, A. M. The flying season and emergence period of *Anax junius* in Illinois (Odonata: Aeshnidae), 886.
- Yule, W. N., and Smith, G. G. Techniques for insecticide-bioassay with houseflies, 219.
- Zethner-Moller, O., and Rudinsky, J. A. On the biology of *Hylastes nigrinus* (Coleoptera: Scolytidae) in western Oregon, 897.
- Zethner-Moller, O. See Rudinsky, J. A., 911.
- Zimmerman, E. C. Acicnemidinae in North America (Coleoptera: Curculionidae), 1093.

INDEX OF NEW TAXA

New Genera and Subgenera			
<i>Cactopinorus</i> Bright (Coleoptera)	918	<i>illeisi</i> Allen, <i>Leptobyphbes</i>	368
<i>Chrysotbyridia</i> Munroe (Lepidoptera)	1104	<i>irona</i> Grimble, <i>Barylypa</i>	1332
<i>Crinophleba</i> Borgmeier (Diptera)	221	<i>jodiannae</i> Allen, <i>Leptobyphbes</i>	358
<i>Misturaphis</i> Robinson (Homoptera)	565	<i>keltoni</i> Richards, <i>Tanalia</i>	71
<i>Parapilocrocis</i> Munroe (Lepidoptera)	1156	<i>maculatus</i> Allen, <i>Leptobyphbes</i>	360
New Species and Subspecies		<i>maritima</i> Freeman, <i>Choristoneura</i>	
<i>acerella</i> Sattler, <i>Cbionodes</i>	78	<i>pinus</i>	455
<i>albicincta</i> Walley, <i>Diadegma</i>	941	<i>murdocki</i> Allen, <i>Leptobyphbes</i>	355
<i>apache</i> Allen, <i>Leptobyphbes</i>	352	<i>musseri</i> Allen, <i>Leptobyphbes</i>	353
<i>asperulus</i> Allen, <i>Leptobyphbes</i>	366	<i>namus</i> Allen, <i>Leptobyphbes</i>	355
<i>banksianae</i> Allen, <i>Dirophanes</i>	893	<i>occidentalis</i> Freeman, <i>Choristoneura</i>	451
<i>barbatum</i> Mackauer and Finlayson, <i>Praon</i>	1057	<i>occidentalis</i> Price, <i>Colpocephalum</i>	276
<i>barbus</i> Allen, <i>Tricorythodes</i>	373	<i>orae</i> Freeman, <i>Choristoneura</i>	452
<i>biemis</i> Freeman, <i>Choristoneura</i>	451	<i>packeri</i> Allen, <i>Leptobyphbes</i>	354
<i>boreades</i> Parsons, <i>Epiraea</i>	736	<i>pallida</i> Richards, <i>Tanalia</i>	69
<i>broni</i> Robinson, <i>Cryptaphis</i>	566	<i>parvifolii</i> Richards, <i>Macrosiphum</i>	1090
<i>buettikeri</i> Munroe, <i>Tblyptoceras</i>	724	<i>patelinae</i> Peterson, <i>Gaurax</i>	641
<i>bullus</i> Allen, <i>Tricorythodes</i>	374	<i>penai</i> Pechuman, <i>Pelecorhynchus</i>	554
<i>californica</i> Walley, <i>Diadegma</i>	932	<i>pendula</i> Walley, <i>Diadegma</i>	937
<i>calvus</i> Pechuman and Teskey, <i>Chrysops</i>	645	<i>petersi</i> Allen, <i>Leptobyphbes</i>	364
<i>canadensis</i> Kelton, <i>Lyctocoris</i>	810	<i>pinus</i> Freeman, <i>Choristoneura</i>	453
<i>carolina</i> Walley, <i>Diadegma</i>	930	<i>plannanni</i> Allen, <i>Leptobyphbes</i>	355
<i>castaneus</i> Allen, <i>Leptobyphbes</i>	368	<i>psilocorsis</i> Walley, <i>Diadegma</i>	934
<i>citribasalis</i> Munroe, <i>Parapilocrocis</i>	1159	<i>pulicalvariae</i> Walley, <i>Diadegma</i>	928
<i>conatus</i> Allen, <i>Leptobyphbes</i>	368	<i>punoalis</i> Munroe, <i>Udea</i>	395
<i>condylus</i> Allen, <i>Tricorythodes</i>	370	<i>rafflesi</i> Dalglish, <i>Penenirmus</i>	606
<i>coranialis</i> Munroe, <i>Udea</i>	395	<i>rallus</i> Allen, <i>Leptobyphbes</i>	363
<i>cornutus</i> Allen, <i>Leptobyphbes</i>	357	<i>robachi</i> Allen, <i>Leptobyphbes</i>	351
<i>crassula</i> Walley, <i>Diadegma</i>	935	<i>robinsoni</i> Hamilton, <i>Draeculacephala</i>	767
<i>cristatus</i> Allen, <i>Tricorythodes</i>	373	<i>rostrata</i> Borgmeier, <i>Crinophleba</i>	223
<i>decoripennis</i> Munroe, <i>Udea</i>	392	<i>salicella</i> Sattler, <i>Cbionodes</i>	82
<i>depressus</i> Bright, <i>Cactopinus</i>	921	<i>setosus</i> Allen, <i>Leptobyphbes</i>	362
<i>desertus</i> Bright, <i>Cactopinus</i>	923	<i>sanguiceps</i> Richards, <i>Pterocomma</i>	1029
<i>dimorphus</i> Allen, <i>Tricorythodes</i>	372	<i>shiloensis</i> Robinson, <i>Misturaphis</i>	565
<i>dolani</i> Allen, <i>Leptobyphbes</i>	351	<i>sonia</i> Miller, <i>Rhyacionia</i>	592
<i>dorsatum</i> Richards, <i>Aulacorthum</i>	760	<i>soralis</i> Munroe, <i>Udea</i>	394
<i>edmundsi</i> Allen, <i>Tricorythodes</i>	370	<i>sordidus</i> Allen, <i>Tricorythodes</i>	374
<i>falcifera</i> Walley, <i>Diadegma</i>	938	<i>triangulifera</i> Munroe, <i>Chrysotbyridia</i>	1107
<i>fisheri</i> Howden, <i>Geotrupes</i>	1004	<i>tuberculatus</i> Allen, <i>Leptobyphbes</i>	369
<i>frigida</i> Walley, <i>Diadegma</i>	941	<i>undulatus</i> Allen, <i>Leptobyphbes</i>	357
<i>gibbus</i> Allen, <i>Leptobyphbes</i>	358	<i>ungavae</i> Walley, <i>Diadegma</i>	939
		<i>viridis</i> Freeman, <i>Choristoneura</i>	452
		<i>zeylanicus</i> Dalglish, <i>Penenirmus</i>	604

8
2
8
1
0

5
5
3
5
1
6
2
4
9
0
1
4
7
4
3
5
4
8
5
6
3
1
7
23
32
52
29
65
92
74
74
07
69
57
39
52
04